National Climatic Data Center

DATA DOCUMENTATION

FOR

DATASET 9724 (DSI-9724)

Hourly Solar Radiation (SOLMET)

January 20, 2004

National Climatic Data Center 151 Patton Ave. Asheville, NC 28801-5001 USA

Table of Contents

Top:	ic	Page	Numbe	er
1.	Abstract			2
2.	Element Names and Definitions:			3
3.	Start Date			9
4.	Stop Date			9
5.	Coverage			9
6.	How to order data			9
7.	Archiving Data Center			9
8.	Technical Contact			9
9.	Known Uncorrected Problems			9
10.	Quality Statement			9
11.	Essential Companion Data Sets		1	LO
12.	References		1	LO

:

- 1. <u>Abstract</u>: Hourly radiation data are available at the National Climatic Data Center (NCDC). SOLMET was designed to provide the solar energy users with easy access to all appropriate historical meteorological data. The salient features of SOLMET are that it:
 - 1. Merges all available insulation and meteorological data into a single source.
 - 2. Presents all data in the International System of Units (SI).
 - 3. Provides time information so user can access the information in true solar and/or standard time. The time of the meteorological observation is also indicated so that user will be aware of the meteorological observation that has been selected that is closest to time of the solar observation; i.e., selected to be the observation nearest to the midpoint of the solar hour. Provision is also made to handle data that are recorded in local standard time for conversion to solar time.
 - 4. Allows for additional solar radiation parameters (such as direct and tilted, normal incidence, diffuse, net) that will be available from stations in the future. Allowance is also made in supplemental fields for additional measurements; i.e., ultraviolet, spectral, etc.
 - 5. Converts all historical solar radiation data (including the extraterrestrial radiation field) to the same international scale based on the same solar constant.
 - 6. Eliminates undesirable format features that were inherent in the past data sources such as over punches, blanks, etc.
 - 7. Codes missing observations and those observations that are estimated via models (e.g., sunshine and cloud regression models)
 - 8. Provides global solar radiation data as they were originally observed and provides the user with data corrected for all known scale, instrument, and calibration problems in addition to a data set corrected via a model.

2. Element Names and Definitions:

Tape Format

Field	Position	Element	Code Definition and Remarks
Number			
001	001-004	Tape Deck Number	
002	005-009	WBAN Station	Unique number used to identify each
		Number	station.
003	010-019	Solar time	Year of observation, 00-99 = 1900-
	010-011	Year	1999
	012-013	Month	Month of observation, 01-12=Jan-Dec
	014-015	Day	Day of month = 1-31
	016-019	Hour	End of the hour of observation in
			solar time (hours and minutes)
004	020-023	Local Standard	Local Standard Time in hours and
		Time	minutes corresponding to end of
			solar hour indicated in field 003
101	024-027	Extra-Terrestrial	Amount of solar energy in kJ/m ²
		Radiation	received at top of atmosphere
			during solar hour ending at time
			indicated on field 003, based on

3

.

102	028-032	Direct radiation	<pre>solar constant = 1377J (m².s) 9999 = nighttime values defined as zero kJ/m²</pre> Portion of radiant energy in kJ/m²
	028	Data code Indictor Data	received at the pyrheliometer directly from the sun during solar hour ending at time indicated in field 003
103	033-037 033 034-037	Diffuse radiation Data code indicator Data	Amount of radiant energy in kJ/m ² received at the instrument indirectly from reflection, scattering, etc., during the solar hour ending at the time indicated in field 003.
104	038-042 038 039-042	Net Radiation Data code indicator Data	Difference between the incoming and outgoing radiant energy in kJ/m ² during the solar hour ending at the time indicated in field 003. A constant of 5000 has been added to all net radiation data.
105	043-047 043 044-047	Global radiation on a tilted surface Data code indicator Data	Total of direct and diffuse radiant energy in kJ/m² received on a tilted surface (tilt angle indicated in station - period of record list) during solar hour ending at the time indicated in field 003 Total of direct and diffuse radiant energy in kJ/m² received on a
	048-062	Global radiation on a horizontal surface	horizontal surface by a pyranometer during the solar hour ending at the time indicated in field 003
106	048-052 048 049-052	Observed data Data code indicator Data	Observed value
107	053-057 053 054-057	Engineering Corrected data Data code indicator Data	Observed value corrected for known scale changes, stations name, recorder and sensor calibration changes, etc.
108	058-062 058 059-062	Standard year Corrected data Data coded indicator Data	Observed value adjusted to Standard Year Model. This model yields

: :

			expected clear sky irradiance received on a horizontal surface at the elevation of the station.
109,110	063-072	Additional Radiation measurements	Supplemental fields A and B for additional radiation measurements; type of measurement specified in
	063-068	Data code indicators Data	station-period of record list.
	069-072	Data	

Note for fields 102-110: Data code indicators are:

- 0 Observed data
- 1 Estimated from model using sunshine and cloud data
- $2\ {\tt Estimated}$ from model using cloud data
- 3 Estimated from model using sunshine data
- 4 Estimated from model using sky condition data
- 5 Estimated from linear interpolation
- 6 Reserved for future use
- 7 Estimated from other model
- 8 Estimated without use of a model
 111 073-074 Minutes of

111	073-074	Minutes of sunshine	For Local Standard Hour (LSH) most closely matching solar hour.
201	075-076	Time of TD 1440 observation	LSH of TD 1440 Meteorological Observation that comes closest to midpoint of the solar hour for which solar data are recorded.
202	077-080	Ceiling height	Dam = ceiling height in decameters (m x 10); ceiling is defined as sky cover of .6 or greater. 7777 = unlimited; clear 8888 = unknown height of cirroform ceiling
203	081-085 081 082-085	Sky condition Indicator Sky condition	Identifies observations after 1 June 51. Coded by layer in ascending order; four layers are described; if less than 4 layers are present the remaining positions are coded 0. the code for each layer is: 0 = Clear or less than .1 cover 1 = Thin scattered (.15 cover) 2 = Opaque scattered (.15 cover) 3 = Thin broken (.69 cover) 4 = Opaque broken (.69 cover) 5 = Thin overcast (1.0 cover) 6 = Opaque overcast (1.0 cover) 7 = Obscuration 8 = Partial obscuration
204	086-089	Visibility	Prevailing horizontal visibility in hectometers (m x 10 ²). 8888 = unlimited
205	090-097 090	Weather Occurrence of	0 = None

5

.

T	T . 1	
	thunderstorm, tornado or squall	<pre>1 = thunderstorm - lightning and thunder. Wind gusts less than 50 knots and hail, if any less than ¾ inch diameter. 2 = Heavy or severe thunderstorm - frequent lightning and thunder. Wind gusts 50 knots or greater and hail, if any, ¾ inch or greater diameter. 3 = Report of tornado or waterspout 4 = Squall (sudden increase of wind speed by at least 16 knots, reaching 22 knots or more and lasting for at least one minute).</pre>
091	Occurrence of rain, rain showers or freezing rain	<pre>0 = None 1 = Light rain 2 = Moderate rain 3 = heavy rain 4 = Light rain showers 5 = Moderate rain showers 6 = Heavy rain showers 7 = Light freezing rain 8 = Moderate or heavy freezing rain</pre>
092	Occurrence of drizzle, freezing drizzle	<pre>0 = None 1 = Light drizzle 2 = Moderate drizzle 3 = Heavy drizzle 4 = Light freezing drizzle 5 = Moderate freezing drizzle 6 = Heavy freezing drizzle</pre>
093	Occurrence of snow, snow pellets or ice crystals	<pre>0 = None 1 = Light snow 2 = Moderate snow 3 = Heavy snow 4 = Light snow pellets 5 = Moderate snow pellets 6 = Heavy snow pellets 7 = Light ice crystals 8 = Moderate ice crystals</pre>
		Beginning April 1963 intensities of ice crystals were discontinued. All occurrences since this date are recorded as an 8.
094	Occurrence of snow showers and snow grains	<pre>0 = None 1 = Light snow showers 2 = Moderate snow showers 3 = Heavy snow showers 4 = Light snow grains 5 = Moderate snow grains 6 = Heavy snow grains</pre> Beginning April 1963 intensities of

:

			I gnow graing word diagontinued All
			snow grains were discontinued. All occurrences since this data are
			recorded as a 5.
			recorded us a s.
	095	Occurrence of	0 = None
		sleet (ice	1 = Light sleet or sleet showers
		pellets), sleet	(ice pellets)
		shower or hail	2 = Moderate sleet or sleet showers
			(ice pellets)
			3 = Heavy sleet or sleet showers
			(ice pellets) 4 = Light hail
			5 = Moderate hail
			6 = Heavy hail
			7 = Light small hail
			8 = Moderate or heavy small hail
			Prior to April 1970 ice pellets
			were coded as sleet. Beginning
			April 1970 sleet and small hail
			were redefined as ice pellets and
			are coded as a 1, 2 or 3 in this position. Beginning September 1956
			intensities of hail were no longer
			reported and all occurrences were
			recorded as a 5.
	096	Occurrence of	0 = None
		fog, blowing dust	1 = Fog
		or blowing sand	2 = Ice fog
			3 = Ground fog
			4 = Blowing dust 5 = Blowing sand
			5 - Blowing Sand
			These values recorded only when
			visibility lass than 7 miles.
	097	Occurrence of	0 = None
		smoke, haze,	1 = Smoke
		dust, blowing	2 = Haze
		snow, blowing	3 = Smoke and haze
		spray	4 = Dust
			5 = Blowing snow 6 = Blowing spray
			O - DIOWING SPICE
			These values recorded only when
206	098-107	Pressure	visibility is less than 7 miles.
200	098-107	Sea level	Pressure, reduced to sea level, in
		pressure	kilopascals (kPa) and hundredths.
	103-107	Station programs	Pressure at station level in
	103-107	Station pressure	kilopascals (kPa) and hundredths.
207	108-115	Temperature	
	108-111	Dry bulb	°C and tenths
208	112-115 116-122	Dew point Wind	°C and tenths
∠ ∪0	TT0-TZZ	MITTU	Degrees

:

7

	116-118	Wind direction	m/s and tenths; 0000 with 000
	119-122	Wind speed	direction indicated calm.
209	123-162	Clouds	
200	123-124	Total sky cover	
	125-126	Lowest cloud	
	120 120	layer amount	
	127-128	Type of lowest	
	127 120	cloud or	
		obscuring	
		phenomena	
	129-132	Height of base of	
	120 132	lowest cloud	
		layer or	
		obscuring	
		phenomena	
	133-134	Second layer	
	133 131	amount	
	135-136	Type of second	
	133 130	layer	
	137-140	Height of base of	
	13/ 110	second cloud	
		layer	
	141-142	Summation of	
	141 142	first 2 layers	
	143-144	Third layer	
	113 111	amount	
	145-146	Type of third	
	113 110	cloud layer	
	147-150	Height of base of	
	117 100	third cloud layer	
	151-152	Summation of	
	101 101	first 3 layers	
	153-154	Fourth layer	
	100 101	amount	
	155-156	Type of fourth	
		cloud layer	
	157-160	Height of base of	
		fourth cloud	
		layer	
	161-162	Total opaque sky	
		cover	
Notes: (1) Tape configu	ration and remarks	for total sky cover, cloud amount,
			otal opaque sky cover.
	Configuration		Remarks
	00-10		Amount of celestial dome in tenths
			covered by clouds or obscuring
			phenomena. Opaque means clouds or
			obstruction through which the sky
			or higher cloud layers cannot be
			seen.
(2) Tape configu phenomena	ration and remarks	for type of cloud or obscuring
	00-16		Generic cloud type or obscuring
			phenomena.
			0 = None
			1 = Fog
L		<u> </u>	- 3

8

•

			2 = Stratus
			3 = Stratocumulus
			4 = Cumulus
			5 = Cumulonimbus
			6 = Altostratus
			7 = Altocumulus
			8 = Cirrus
			9 = Cirrostratus
			10 = Stratus fractus
			11 = Cumulus fractus
			12 = Cumulonimbus mamma
			13 = Nimbostratus
			14 = Altocumulus castellanus
			15 = Cirrocumulus
			16 = Obscuring phenomena other than
			fog
	(3) Tape configu	ration and remarks	for height of base of cloud layer of
	obscuring ph		
	0000-3000		Dekameters
	7777		7777 = Unlimited, clear
	8888		8888 = Unknown height or cirroform
			layer
210	163	Snow cover	O indicates no snow or trace of
		indicator	snow on ground; 1 indicated more
			than trace of snow on ground

3. <u>Start Date</u>: 19511201

4. <u>Stop Date</u>: 19761231

5. Coverage:

a. Southernmost Latitude: 15.0S
b. Northernmost Latitude: 72.0N
c. Westernmost Longitude: -165.0W
d. Easternmost Longitude: -60.0E

6. How to Order Data:

Ask NCDC's Climate Services about the cost of obtaining this data set.

Phone: 828-271-4800 FAX: 828-271-4876

E-mail: NCDC.Orders@noaa.gov

7. Archiving Data Center:

Archive Branch National Climatic Data Center 151 Patton Avenue Asheville, NC 28801

8. <u>Technical Contact</u>:

National Climatic Data Center 151 Patton Avenue

.

9

Asheville, NC 28801

- 9. Known Uncorrected Problems: None.
- 10. Quality Statement:
- 11. Essential Companion Datasets:
- 12. References:

:

10